




3280

毛坯件通过打磨处理，无砂眼
裂隙等，确保工件表面平滑。
外表面由专业户外塑粉经过静
电喷涂处理，抗腐蚀性强，光
洁美观，也确保灯具在正常户
外环境下的使用寿命。




采用新型LED光源，额定功率
为10W，90-260V/50Hz宽电
压，使用寿命长，光衰小。

- LED光源上置，结构设计紧凑合理，通过整个灯体使LED迅速散热，确保LED使用寿命。
- 高反射性能反射器，由上下两块反射器组成，光学反射角度精确，达到最佳配光效果。
- 可作为草坪灯或柱头灯使用，亦可安装于墙壁上，组合安装，达到各种不同的光效。

- Due to its position right underneath the head of the bollard, the heat produced by the LED can be easily dissipated.
- It has two anodized aluminium reflector, including two reflecting surfaces by accurate design, to the best lighting effect.
- It can be wall mounted, producing amazing light patterns.



5280D





透明亚克力透光罩，透光性
好，抗老化性能强，长时间在
户外环境下使用而不发黄。

使用节能灯光源，节能环保。
碟片状高纯度铝阳极氧化反
射器，简洁高档，光效好。





3279



型号(Item)	光源(Lamp)	功率(Power)	电压(Voltage)
3279	LED	1*10W	90-260V/50Hz
3280	LED	1*10W	90-260V/50Hz
3281	LED	1*10W	90-260V/50Hz

IP54

材质及特性





- 压铸铝灯体;
- 透明PC透光罩;
- 高反射性能反射器;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP54

Materials & Features

- Diecasting aluminum lamp body.
- Clear PC diffuser.
- Silicone gasket.
- High quality reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP54



5281D



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
5279D	E27		Max.26W
5280D	E27		Max.26W
5281D	E27		Max.26W

IP54

材质及特性


- 压铸铝灯体;
- 透明PC透光罩;
- 高纯度铝阳极氧化反射器;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP54

Materials & Features

- Diecasting aluminum lamp body.
- Clear PC diffuser.
- Silicone gasket.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP54



23117



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23117	4*G5	2*T4	2*22W

IP44

材质及特性

- 不锈钢材质灯体;
- 激光雕花, 花纹细腻, 可根据要求订制;
- 磨砂钢化玻璃或者PMMA透光罩;
- 硅胶密封, 耐高温, 抗老化;
- 不锈钢螺丝固定;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features




- Stainless steel lamp body.
- Pattern by laser engraving, can be customized.
- Frost tempered glass or PMMA diffuser.
- Silicone gasket.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44




23074-A




23074-B



对称两透光
Two lights one side



单侧两透光
Two lights one side



对称四透光
Two lights one side

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23074-A	E27		Max.26W
23074-B		LED	1*10W

IP45

材质及特性

- 压铸铝质灯体;
- 透明PC透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45


Materials & Features

- Diecasting aluminum lamp body.
- Clear PC diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



23012

23013



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23012	E27		Max.13W
23013	E27		Max.13W

IP45

材质及特性

- 铝质灯体;
- 透明钢化玻璃透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45


Materials & Features

- Diecasting aluminum lamp body.
- Tempered glass diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



23120-A

23120-B



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23120-A	E27		Max.26W
23120-B	E27		Max.26W

IP45

材质及特性

- 铝质灯体;
- 透明钢化玻璃透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Tempered glass diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23001-A	E27		Max.26W
23006	E27		Max.26W


IP45

材质及特性

- 铝质灯体;
- 优质透明PMMA透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features

- Aluminum lamp body.
- Clear PMMA diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23096-A	E27		Max.26W
23096-B	E27		Max.26W


IP55


材质及特性

- 铝质灯体;
- 优质奶白PMMA透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP55

Materials & Features

- Aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP55





23007



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23007	E27		Max.26W
23041	E27		Max.26W


IP45

材质及特性


- 铝质灯体;
- 优质奶白PMMA透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23041



23065



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23065	G9	LED	1*3W
			25W
23073	2G11		24W


IP45

材质及特性

- 铝质灯体;
- 23065为透明钢化玻璃, 23073为优质奶白PMMA透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Aluminum lamp body.
- Clear tempered glass for 23065, Opal PMMA diffuser for 23073.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23073



23039

23040



灯体Logo可根据客户要求订制其他图案。
Customized patterns of lamp body.

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23039	2G11		Max.36W
23040	E27		Max.26W


IP45

材质及特性



- 铝质灯体;
- 优质奶白PMMA透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



7199



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
7199		LED	10*1W

IP44

材质及特性


- 铝合金灯体;
- 透明钢化玻璃透光罩;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP44

Materials & Features

- Aluminum lamp body.
- Frost glass diffuser.
- Waterproof and durable silicone rubber gasket.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP44



23121-A



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23121-A	E27		Max.26W
23121-B	E27		Max.26W

IP45

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features


- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45




23121-B



6154



23099



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
6154	E27		Max.45W
23099	E27		Max.45W


IP45

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features


- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23093



23079



23001-B

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23093	E27		Max.26W
23001-B	E27		Max.26W


IP45

材质及特性

- 铝质灯体;
- 优质透明PMMA透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Clear PMMA diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



23062

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23079	E27		Max.26W
23062	E27		Max.26W

IP44

材质及特性

- 铝质灯体;
- 优质PMMA透光罩;
- 激光雕花, 花纹细腻, 可根据要求订制;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP44


Materials & Features

- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Pattern by laser engraving, can be customized.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP44



23058-A

23058-B



此款产品也可做管径200mm。
Ø200mm provided also.



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23058-A	G9		25W
23058-B	G9		25W

IP45

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



21026



23019



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
21026	2G11		36W
23019	E27		Max.26W

IP45

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features


- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



23033-A



23036-B



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23033-A	E27		Max.26W
23036-B	E27		Max.26W

IP45

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45




23118



23100-A



23100-B



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23118	E27		Max.26W
23100-A	G9		25W
23100-B	2G11		36W

IP45

材质及特性


- 铝质灯体;
- 23100为钢化玻璃, 23118为奶白PMMA透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Tempered glass diffuser for 23157, opal PMMA for 23118.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



7163



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
7163	E27		Max.18W
7164	E27		Max.18W

IP44

材质及特性


- 铝合金灯体;
- 磨砂玻璃透光罩;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP44

Materials & Features


- Aluminum lamp body.
- Frost glass diffuser.
- Waterproof and durable silicone rubber gasket.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP44



7164



23064-A



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23064-A	E27		Max.26W
23064-B	E27		Max.26W

IP45

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45


Materials & Features

- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23064-B





23061



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23061	E27		Max.26W
	G9		25W
23077	E27		Max.26W


IP45

材质及特性

- 优质铝型材;
- 磨砂玻璃或者PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Frost glass or opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23077



23072



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23072	E27		Max.26W
23076-B	E27		Max.26W


IP45

材质及特性

- 优质铝型材;
- 磨砂玻璃或者PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Frost glass or opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45




23076-B



026124-26



016128-30



可选用不同PC透光罩
Diferent PC diffuser available



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
026124-26	E27		Max.26W
016128-30	E27		Max.26W

IP44

材质及特性

- 铝质灯体;
- 透明PC透光罩;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features


- Aluminum lamp body.
- Clear PC diffuser.
- Waterproof and durable silicone rubber gasket.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



036124-80



016128-80



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
036124-80	E27		Max.26W
016128-80	E27		Max.26W

IP44

材质及特性



- 铝质灯体;
- 透明PC透光罩;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Aluminum lamp body.
- Clear PC diffuser.
- Waterproof and durable silicone rubber gasket.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23066-A



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23066-A	E27		Max.45W
23066-B	E27		Max.45W

IP45

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features


- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23143-B



23002



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23002	G9		25W
23008	E27		Max.26W

IP45

材质及特性


- 23008为铝质灯体, 23002为聚酯注塑成型;
- 23002为优质PMMA, 23008为磨砂玻璃;
- 23002为高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum for 23008, polyester for 23002.
- Clear PMMA diffuser for 23002, frost glass for 23008.
- Anodized aluminium reflector for 23002.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



23008





23009-A 23009-B 23009-C



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23009-A	E27		Max.26W
23009-B	E27		Max.26W
23009-C	2G11		26W


IP45

材质及特性

- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23122-A 23122-B 23122-C 23122-D



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23122-A	E27		Max.36W
23122-B	E27		Max.36W
23122-C	2G11		26W
23122-D	G12		35W


IP45

材质及特性

- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



此系列产品也可做管径180mm。
Ø180mm provided also.







23123-A

23124-A



23123-B

23124-B



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23123-A	E27		Max.26W
23123-B	E27		Max.26W
23124-A	E27		Max.26W
23124-B	E27		Max.26W

IP45

材质及特性

- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features


- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23125



23126



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23125	E27		Max.26W
23126		LED	5W



IP45

材质及特性

- 铝质灯体;
- 透明钢化玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45



Materials & Features

- Diecasting aluminum lamp body.
- Clear tempered glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45





23127



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23127	E27		Max.26W
23128	E27		Max.26W

IP45

材质及特性


- 铝质灯体;
- 透明玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features


- Diecasting aluminum lamp body.
- Clear glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23128



23129



It is possible to insert a acrylic panel customized with a LOGO or something else

可安装一块亚克力板, 板上的图案可自行设计, 如LOGO等。

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23129	G5.3	MR16	35W
		LED	3-10W

IP45

材质及特性

- 铝质灯体;
- 透明钢化玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Clear tempered glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP45



23130



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23130	E27	LED	Max.26W
23146	E27	LED	Max.26W

IP44

材质及特性


- 铝质灯体;
- 透明钢化玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Diecasting aluminum lamp body.
- Clear tempered glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23146



23131



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23131	E27	LED	Max.36W
23132	E27	LED	Max.36W

IP44

材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23132



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23133	G5.3	MR16	50W
23134	E27	LED	Max.26W
23135	E27	LED	Max.26W


IP45

材质及特性

- 压铸铝质灯体;
- 透明玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP45

Materials & Features

- Diecasting aluminum lamp body.
- Clear glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP45



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23136	E27	LED	Max.36W
		LED	5W


IP44

材质及特性


- 铝质灯体;
- 透明钢化玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features


- Diecasting aluminum lamp body.
- Clear tempered glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23137



23138



23053

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23137	E27		Max.26W
23053	E27		Max.26W

IP44

材质及特性

- 铝质灯体;
- 优质PMMA透明透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Diecasting aluminum lamp body.
- Clear PMMA diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23138	E27		Max.26W

IP44

材质及特性


- 铝质灯体;
- 优质PMMA透明透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Diecasting aluminum lamp body.
- Clear PMMA diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23139-A



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23139-A	E27		Max.26W
23139-B	E27		Max.26W

IP44

■ 材质及特性


- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

■ Materials & Features


- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23139-B



23140



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23140	E27		Max.26W
23141	E27		Max.26W


IP44

■ 材质及特性

- 铝质灯体;
- 优质PMMA奶白透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

■ Materials & Features


- Diecasting aluminum lamp body.
- Opal PMMA diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23141



23055



23060



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23055	E27		Max.18W
23018	E27		Max.36W


IP44

材质及特性

- 铝质灯体;
- 玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Diecasting aluminum lamp body.
- Glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



23018



23142

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23060	E27		Max.26W
23142	E27		Max.26W



IP44

材质及特性

- 铝质灯体;
- 优质PMMA透明透光罩;
- 23060-B为高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Diecasting aluminum lamp body.
- Clear PMMA diffuser.
- Anodized aluminium reflector for 23060-B.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23143	G5.3	MR16	35W
23144	G5.3	MR16	35W



IP44

材质及特性

- 铝质灯体;
- 优质PMMA透明透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features

- Diecasting aluminum lamp body.
- Clear PMMA diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23070-A	G5.3	MR16	35W
23145	G5.3	MR16	50W

IP44

材质及特性

- 铝质灯体;
- 优质PMMA透明透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 灯体高度可根据要求订制;
- 防护等级: IP44

Materials & Features


- Diecasting aluminum lamp body.
- Clear PMMA diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- Customized heights.
- IP44




- 此系列产品一共有大中小三种尺寸，产品简洁大气，可满足不同的景观场所需求。
- 灯体由铝材和不锈钢材质组成，专用户外塑粉静电喷涂，在户外环境下长期使用不会生锈掉漆。
- 采用进口PC磨砂透光罩，四周硅胶密封，保证雨水不会进入灯体内部。
- 安装常用荧光管光源，节能环保，上盖可以打开，光源更换方便。
- 产品外形及图案可根据客户的需求定制。
- 适用范围：小区入口、文化墙前、喷水池边、文化广场等园林景观，有很好的装饰及照明效果。




27020-A



27020-B



27020-C



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27020-A	8"G5	4*T5	4*14W
27020-B	8"G5	4*T5	4*21W
27020-C	8"G5	4*T5	4*28W

IP55

材质及特性

- 铝材和不锈钢灯体；
- 进口磨砂PC光罩；
- 全不锈钢螺丝紧固；
- 户外专用塑粉，耐腐蚀，抗老化；
- 静电喷塑，喷涂均匀，附着力强；
- 防护等级：IP55

Materials & Features


- Stainless steel lamp body.
- Frost PC diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP55



6142



6151



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
6142	E27		Max.26W
6151	E27		Max.26W

IP44

材质及特性

- 灯体为铝合金;
- P激光雕花, 花纹细腻, 可根据要求订制;
- 磨砂钢化玻璃透光罩;
- 不锈钢螺丝固定;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP44

Materials & Features


- Aluminum lamp body.
- Pattern by laser engraving, can be customized.
- Frost tempered glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP44



23159-A



23159-B



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23159-A	E27		Max.45W
23159-B	E27		Max.45W

IP44

材质及特性

- 灯体为铝合金;
- P激光雕花, 花纹细腻, 可根据要求订制;
- 磨砂钢化玻璃透光罩;
- 不锈钢螺丝固定;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP44

Materials & Features


- Aluminum lamp body.
- Pattern by laser engraving, can be customized.
- Frost tempered glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP44



27015-A




27022



23095-D



27015-B



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27015-A	E27		Max.45W
27015-B			70W
27022			35W



材质及特性


- 铝质灯体;
- 优质PMMA透光罩;
- 高纯度铝阳极氧化反射器;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP55

Materials & Features

- Diecasting aluminum lamp body.
- PMMA diffuser.
- Anodized aluminium reflector.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP55



23126



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
23095-D	E27		Max.26W
23126	E27		Max.26W




材质及特性

- 铝质灯体;
- 透明钢化玻璃透光罩;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP55

Materials & Features

- Diecasting aluminum lamp body.
- Tempered glass diffuser.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP55






017193D



017194D



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
017193D	E27		Max.26W
017194D	E27		Max.26W

IP44

材质及特性

- 铝合金灯体;
- 透明玻璃透光罩;
- 高纯度铝阳极氧化反射器;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP44

Materials & Features


- Aluminum lamp body.
- Clear glass diffuser.
- Anodized aluminium reflector.
- Waterproof and durable silicone rubber gasket.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP44



5274



5275



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
5274	E27		Max.26W
5275	G24d-1		18W

IP54

材质及特性

- 压铸铝合金灯体;
- PC或磨砂玻璃透光罩;
- 硅胶密封, 耐高温, 抗老化;
- 全不锈钢螺丝紧固;
- 户外专用塑粉, 耐腐蚀, 抗老化;
- 静电喷塑, 喷涂均匀, 附着力强;
- 防护等级: IP54

Materials & Features

- Diecasting aluminum lamp body.
- PC or frost glass diffuser.
- Waterproof and durable silicone rubber gasket.
- Connecting elements stainless steel.
- Powder paint with high corrosion resistance.
- Electrostatic spraying.
- IP54



27033



27035



27036



27034



27037



27038

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27033	E27		Max.35W
27034	E27		Max.45W

IP45    

型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27035	E27		Max.35W
27036	E27		Max.35W
27037	E27		Max.35W
27038	E27		Max.35W

IP45    



27025



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27025	E27		Max.26W

IP44    



27026



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27026	E27		Max.26W

IP44    



27027



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27027	E27		Max.26W

IP44    



27028



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27028	E27		Max.36W

IP44    



27029



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27029	E27		Max.45W

IP44    



27030



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27030	E27		Max.36W

IP44    



27031



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27031	E27		Max.45W

IP44    



27032



型号(Item)	灯座(Holder)	光源(Lamp)	功率(Power)
27032	8"G5	4*T5	4*26W

IP44    